

Stephen Tapp Accessories:

Sea Anchor and Running Rig

Instructions:-




Sea Anchor
(also called a
drift chute)



Running
Rig

Running Rig: *How it works*

Pull rope in this direction to move
the Sea Anchor to the Bow



Fastenings to Attach
to **Bow** of kayak



Use the Shackle to
attach the Sea Anchor



Fastenings to Attach to
Stern of kayak

1 Attach **Sea Anchor** to the **Running Rig**





Attach the Sea Anchor to
the Running Rig

2 Deploy **Sea Anchor** to the Bow of the kayak



Use the **Running Rig** to deploy the **Sea Anchor** to the bow of the kayak

Sea Anchor deployed off the bow.





Note:

Drift fishing with the **Sea Anchor** off the bow produces the correct line angles for successfully hooking fish.


3 Hook-Up

Hook-up
On large fish the kayak will surge forward and be towed in the direction of the line pull. As the rope to the **Sea Anchor** slackens use the **Running Rig** to begin to trolley it along towards the stern.



4 Transfer Bow to Stern

With the kayak now under tow by the fish the **Running Rig** will allow the **Sea Anchor** to run to the stern without any more input from the paddler.



5 Sea Anchor off the Stern

The **Sea Anchor** has now transferred to the stern of the kayak. Here it acts to stabilize the boat, keep it pointed towards the fish, and produce some resistance to allow the angler to exert maximum pressure.

